CONTENTS OF VOLUME 39

Abadom, P. N., Ahmed, K., and Scholefield, P. G. Biochemical studies on Tofranil, 551. Adamkiewicz, V. W. Insulin sensitization to the action of k-strophanthin, 9. Adamkiewicz, V. W. and Fortier, A. A. Passage of salicin and saligenin across the wall of

the rat ileum, 1097.

the rat leum, 107.

Ahmed, K. See Abadom, P. N., 551.

Allen, C. E. See Dow, D. S., 981.

Allen, F. W. See Lane, B. G., 721.

Allen, M. J. See Vittorio, P. V., 1743.

Aftonomos, B. Th. See Pace, D. M., 1247.

Anastassiadis, P. A. See Haab, W., 671.

Ashford, D. R., Fairfield, F. M., and Bain, G. O. Effect of neonatal injection of chicken

erythrocytes on natural heterohemagglutinin titer in mice, 1209.

Avadhani, P. N. and Towers, G. H. N. Fate of phenylalanine-C¹⁴ and cinnamic acid-C¹⁴ in

Malus in relation to phloridzin synthesis, 1605.

Baer, E. and Buchnea, D. Synthesis of enantiomeric mixed-acid glycerolphosphatides. I. L- α -(α' -Stearoyl, β -oleoyl)cephalin and L- α -(α' -oleoyl, β -stearoyl)cephalin, 1471.

Bain, G. O. See Ashford, D. R., 1209.
Bajusz, E. See Selye, H., 519.
Bakker, R. F. M. and de Wied, D. The effect of corticotropin on the formation of corticosteroids in vitro, 23.

Bates, D. V. and Harkness, E. V. Notes on the application of the Hersch galvanic oxygen cell to measurement of blood oxygen content and tension, 991. Bather, R. and Purdie-Pepper, E. Nucleic acid synthesis and transfer in normal second

generation chick embryo fibroblasts, 1625

Beare, J. L. The influence of dietary fat on the fatty acid composition of liver, carcass, and milk of rats, 1855.

Beare, J. L., Gregory, E. R. W., Smith, D. M., and Campbell, J. A. The effect of rapeseed oil on reproduction and on the composition of rat milk fat, 195.

Beaton, J. R. Further observations on metabolic alterations in the hypothermic rat, 1. Beaton, J. R. With the technical assistance of Orme, T. The inhibition by acetazoleamide of renal phosphate-activated glutaminase in rats, 663.

Note on blood metabolite and electrolyte levels in the hypothermic hamster, 1207.

Beaton, J. R. and Orme, T. Phosphorus and lactic acid metabolism in the hypothermic rat, 1267

A note on the effects of hypothermia on enzyme activities in the rat, 1649.

Beck, J. C. See Blair, A. J., 1617.

Bennett, J. R. and Tattrie, N. H. The acylation of monoacyl-L-α-glycerylphosphorylcholine

under various conditions, 1357.

Bensley, S. H. See Walker, F G., 89.

Berenson, J. See Grad, B., 461.

Best, C. H. See Wrenshall, G. A., 267.

Beveridge, J. M. R. See Emery, G. N., 977.

Beyer, R. E., Lamberg, S. L., and Neyman, M. A. The effect of riboflavin deficiency and galactoflavin feeding on oxidative phosphorylation and related reactions in rat liver mitochondria, 73.

Beznák, M. See Bois, P., 335. Bhattacharya, S. K. See Das, B. C., 569.

Bieley, J. See Idler, D. R., 317; Wood, J. D., Binette, Y. See Bouthillier, L. P., 1595, 1930.

Birkbeck, J. A. and Stewart, A. G. The estimation of lactate dehydrogenase activity of

human erythrocytes, 257.

Birks, R. and MacIntosh, F. C. Acetylcholine metabolism of a sympathetic ganglion, 787.

Biron, P. See Boucher, R., 581.

Bitners, I. I. See Idler, D. R., 1653, 1737.

Blair, A. J., Morgen, R. O., and Beck, J. C. The plasma 17-hydroxycorticosteroid levels in acute and chronic renal failure, 1617.

Bloor, R. J. See Gaebler, O. H., 863

Blostein, R., Rubinstein, D., and Denstedt, O. F. The relation between phosphate metabolism and the transport of cations across the cell membrane in the human erythrocyte, 1879.

 Bohm, B. A., Ibrahim, R. K., and Towers, G. H. N. The partial elucidation of the structure of a new coumarin from Hydrangea macrophylla Ser., 1389.
 Bois, P., Beznák, M., and Jasmin, G. Cardiovas cular changes in non-sensitized rats chronically treated with 2-methyl-9-fluorocortisol, 335.

Bond, E. J. The action of fumigants on insects. III. The fate of hydrogen cyanide in Sitophilus granarius (L.), 1793.

Boucher, R., Biron, P., and Genest, J. Procedure for isolation and determination of human blood angiotensin, 581

Bouthillier, L. P. and **Binette, Y.** Decarboxylation of γ -hydroxyglutamate to α -hydroxyy-aminobutyrate in rat brain, 1930.

Bouthillier, L. P., Binette, Y., and Pouliot, G. Transformation de l'acide γ-hydroxy-

glutamique en alanine et en acide glyoxylique, 1595.

Bowen, H. F. See Perry, W. F., 1061.

Boyd, E. M. Skinfold neutral fat in obese rats, 321.

Boyd, E. M. and Fulford, R. A. Pilocarpine-induced convulsions and delayed psychotic-like reaction, 1287.

Brown, J. R., Jarvis, A. A., and Tiefenbach, B. Elimination of ashing in the determination of strontium and calcium in liquid milk, 1309.

Brown, W. H. See Townsend, G. F., 1765.
Browne, J. S. L. See Chappel, C. I., 453.
Brownstone, Y. S. and Denstedt, O. F. The pentose phosphate metabolic pathway in the human erythrocyte. I. The transformation of ribose-5-phosphate to ketopentose-5phosphate, 527.

The pentose phosphate metabolic pathway in the human erythrocyte. II. The trans-ketolase and transaldolase activity of the human erythrocyte, 533.

The pentose phosphate metabolic pathway in the human erythrocyte. III. The stability of the pentose phosphate metabolic system in preserved erythrocytes, 545. **Buchnea**, **D.** See Baer, E., 1471.

Bugge, S., Nilsen, M., Metcalfe-Gibson, A., and Hobkirk, R. Hydrolysis of conjugated estrogen fractions in human pregnancy urine, 1501.

Burley, R. W. and Cook, W. H. Isolation and composition of avian egg yolk granules and

their constituent α - and β -lipovitellins, 1295. Bushuk, W. Sulphydryl-initiated aggregation of mercaptalbumin in 0.1 N NaCl solutions,

1789.

Butler, G. C. See Neelin, J. M., 485.

Campbell, J. A. See Beare, J. L., 195; McLaughlan, J. M., 1669; Morrison, A. B., 1543, 1681; Murray, T. K., 1687.

Caplan, B. U. See Saffran, M., 653.

Carroll, K. K. See Jessup, D. C., 1647.

Casselman, W. G. B. See Menon, K. K. G., 1373.

Chandrasekhar, N. Minor proteins in human erythrocytes, 1489.

Chang, V. M. and Idler, D. R. α-Reduction of the 20-carbonyl group in C-21 steroids by Phodotorula Inneissima. 1277.

Rhodotorula longissima, 1277

Chappel, C. I., Rona, G., and Browne, J. S. L. Possible role of increased sensitivity to adrenal steroids in adrenal-regeneration hypertension, 453.

Charbonneau, G. See Zsotér, T., 763.

Chefurka, W. Some observations on the effect of a naturally occurring agent(s) on the

2,4-dinitrophenol induced ATPase of liver mitochondria, 1941. Cherniack, R. M. and Guenter, C. A. The efficiency of the respiratory muscles in obesity,

1215.

Chisholm, M. J. See Hopkins, C. Y., 829, 1481. Choitz, H. C. See Gaebler, O. H., 863. Cole, E. R. and Mertz, E. T. Studies on plasminogen. I Further purification of bovine plasminogen, 1419.

Studies on plasminogen. II. A comparison of esterolytic, caseinolytic, and fibrinolytic

activities of bovine and human plasminogen, 1911.

Coleman, I. W., Little, P. E., and Grant, G. A. Oral prophylaxis for anticholinesterase poisoning, 351.

Colonnier, M. Spinal cord influences on forelimb movements induced from the reticular

formation in the cat, 559

Colvin, J. R. Synthesis of cellulose from ethanol-soluble precursors in green plants, 1921. Colvin, J. R., Martin, S. M., and Dearing, G. G. Extracellular glucose-1-phosphate in Acetobacter xylinum and its role in cellulose synthesis, 493.

Common, R. H. See McCully, K. A., 1451; Mok, C.-C., 109.

Common, R. H., Moo-Young, A. J., and McCully, K. A. Some effects of dietary thiouracil

and dietary iodine supplementation on the responses of the immature pullet to estrogen, 1441.

Connell, G. E. and Shaw, R. W. The purification of haptoglobin, 1013. Cook, W. H. See Burley, R. W., 1295; Neelin, J. M., 1075. Cosgrove, J. B. R. See MacPherson, C. F. C., 1567.

Cramer, C. F. Progress and rate of absorption of radiophosphorus through the intestinal tract of rats, 499

Craig, B. M. See Leegwater, D. C., 1325.
Crocker, B. F. See Holmes, R., 45; Sheinin, R., 55, 63.
Czaja, C. and Kalant, H. The effect of acute alcoholic intoxication on adrenal ascorbic acid and cholesterol in rat, 329.

Das, B. C. and Bhattacharya, S. K. Changes in human serum protein fractions with age

and weight, 569.

Davenport, H. T. See Jegier, W., 1747.

Dearing, G. G. See Colvin, J. R., 493.

Delory, G. E. and Hetherington, M. The effect of formalin and of L-tartaric acid on some tissue acid phosphatases, 737.

Denstedt, O. F. See Blostein, R., 1879; Brownstone, Y. S., 527, 533, 545; Parsons, T. R., 1515.

Depocas, F. See Masironi, R., 219.

De Wolfe, M. S. See Jackson, S. H., 881; Myers, D. K., 1656.

Dow, D. S. and Allen, C. E. Steady-state oxidation of glucose in hyperthyroid and hypothyroid rats, 981.

Dowdy, J. R. See Guthrie, R. K., 757.

Drance, S. M. See Woodford, V. R., 287.

Dresel, P. E. See Sutter, M. C., 1783.

Dyrenfurth, I. See Lucis, O. J., 901.

Ecobichon, D. J. and Kalow, W. Some properties of the soluble esterases of human liver,

1329

Emery, G. N. and Beveridge, J. M. R. The cause of the disappearance of arginine from the blood of rats with acute hepatic necrosis induced by dietary means, 977

Fagerlund, U. H. M. and Idler, D. R. Marine sterols. VIII. In vivo transformations of the sterol side chain by a clam, 505.

Marine sterols. IX. Biosynthesis of 24-methylenecholesterol in clams, 1347.

Fairfield, F. M. See Ashford, D. R., 1209.

Farmer, A. W. See Jackson, S. H., 881.

Fazekas, A. Gy. See Fazekas, I. Gy., 1189.

Fazekas, I. Gy., Fazekas, A. Gy., and Rengei, B. Changes in glutamic acid – oxaloacetic acid – transaminase activity in the liver and kidneys on the effect of high doses of Pyramidon (aminopyrine), 1189.

midon (aminopyrine), 1189.

Felauer, E. E. See Townsend, G. F., 1765.

Finlayson, A. J. See McConnell, W. B., 1107.

Finlayson, A. J. and Simpson, F. J. The conversion of 2,6-diaminopimelic acid-1,7-C¹⁴ to lysine-1-C¹⁴ by certain bacteria, 1551.

Fishman, W. H. See Nigam, V. N., 1367.

Fortier, A. A. See Adamkiewicz, V. W., 1097.

Fortier, C. See Schindler, W. J., 629.

Foster, T. S. and Pearce, R. H. Zone electrophoresis of acid mycopolysaccharides, 1771.

Frederick, G. L. The influence of dietary vitamin B₁₂ on the hepatic vitamin B₁₂ biologic half-life of swine, 1477.

Fregly, M. J. Effect of changes of ambient temperature on spontaneous activity of hypo-Fregly, M. J. Effect of changes of ambient temperature on spontaneous activity of hypo-

thyroid rats, 1085.

Fretz, N. A. See Seguin, J. J., 1239.
Froese, A. and Sehon, A. H. Problems involved in the purification of antihapten antibodies by the use of stroma-hapten conjugates, 1067.

Fulford, R. A. See Boyd, E. M., 1287.

Gaebler, O. H., Bloor, R. J., and Choitz, H. C. Continuous metabolic studies on normal and depancreatized dogs during repeated whole body X irradiation, 863.

Galley, W. C. See Kalant, N., 1433.

Gamborg, O. L., Wetter, L. R., and Neish, A. C. The role of plant phenolic compounds in the oxidation of reduced diphosphopyridine nucleotide by peroxidase, 1113.

Garcia-Arocha, H. Release of histamine and 5-hydroxytryptamine from cells of the peritoneal fluid of rats, 395. Liberation of 5-hydroxytryptamine and histamine in the anaphylactic reaction of

the rat, 403.

Genest, J. See Boucher, R., 581.

Gillespie, R. J. G. and Lucas, C. C. Effect of single intoxicating doses of ethanol on the gastric and intestinal mucosa of rats, 237.

Effects of single intoxicating doses of ethyl alcohol upon the hepatic lipids of rats, 243. Different responses to the production of dietary and alcoholic cirrhosis in "Wistar" rats from two sources, 249.

Giri, K. V. See Nigam, V. N., 1847.

Goodfriend, L., Leznoff, A., and Sehon, A. H. Antibodies to estrone-protein conjugates. Tissue localization of estrogens, 967.

Goodfriend, L. and Sehon, A. H. Antibodies to estrone-protein conjugates. I. Immunochemical studies, 941.

Antibodies to estrone-protein conjugates. II. Endocrinological studies, 961. Grad, B., Kral, V. A., and Berenson, J. Toxic and protective effects of royal jelly in normal and diseased mice, 461. Grajcer, D. and Idler, D. R. Testosterone, conjugated and "free", in the blood of spawned

Fraser River sockeye salmon (Oncorhynchus nerka), 1585.

Grant, G. A. See Coleman, I. W., 351.

Green, R. M. See Robinson, G. A., 1125.

Green, R. M., McNeill, K. G., and Robinson, G. A. The distribution of potassium and

caesium-137 in the calf and the pig, 1021.
Gregory, E. R. W. See Beare, J. L., 195.
Grice, H. C. See Murray, T. K., 1103.
Griffin, M. C. See McGeer, P. L., 591.
Guenter, C. A. See Cherniack, R. M., 1215.

Guthrie, R. K., Dowdy, J. R., and Hinkle, D. C. Effects of lipid material on guinea pig complement, 757.

Haab, W. and Anastassiadis, P. A. A study on the liberation of sugars, hexuronic acid, and hexosamine from biological material, 671. **Habeeb, A. F. S. A.** The reaction of sulphuric acid with lysozyme and horse globin, 31.

The preparation and properties of guanidinated ovalbumin, 729.

Hagen, P. Biosynthesis and storage of histamine, heparin, and 5-hydroxytryptamine in the

mast cell, 639.

Hall, M. C. Comparative examinations of the physical character of ground substance by means of gelatinous bullae, 915. The effect of hypophysectomy in retarding the ageing process of the loose connective tissue of the rat, 1525.

Changes in loose connective tissue of the male rat following castration, 1531.

The variation with body weight of the water-binding properties of common connective

The variation with body weight of the water-binding properties of common connective tissue, 1535.

Hanes, C. S. Quantitative chromatographic methods. Part 2. An approach to paper chromatography of improved resolving power and reproducibility, 119.

See also Harris, C. K., 439; Matheson, A. T., 417; Moscarello, M. A., 1755; Tigane, E., 427; Wade, E. H. M., 141.

Hanes, C. S., Harris, C. K., Moscarello, M. A., and Tigane, E. Quantitative chromatographic methods. Part 4. Stabilized chromatographic systems of high resolving power for amino acids. With appended note on Moisture relations of chromatographic papers by Hanes, C. S. and Wood, D. D., 163.

Harkness, E. V. See Bates, D. V., 991.

Harris, C. K., See Hanes, C. S., 163.

Harris, C. K., Tigane, E., and Hanes, C. S. Quantitative chromatographic methods. Part 7. Isolation of amino acids from serum and other fluids, 439.

Isolation of amino acids from serum and other fluids, 439.

Hazlett, B. See Townsend, G. F., 1765.

 Hemphill, C. A. See Myers, D. K., 1043.
 Héroux, O. With the technical assistance of Wright, D. Comparison between seasonal and thermal acclimation in white rats. V. Metabolic and cardiovascular response to noradrenaline, 1829.

Seasonal adjustments in captured wild Norway rats. I. Organ weights, ear vascularization, histology of epidermis, 1865.

Mast cells in the skin of the ear of the rat exposed to cold, 1871.

Hetenyi, G., Jr. See Wrenshall, G. A., 267.

Hetenyi, G., Jr., Rappaport, A. M., and Wrenshall, G. A. The validity of rates of glucose appearance in the dog calculated by the method of successive tracer injections. I. Effects of surgical hepatectomy, evisceration, and order of tracer injection, 225.

of surgical henatectomy, evisceration, and order of tracer injection, 225.

Hetherington, M. See Delory, G. E., 737.

Hinkle, D. C. See Guthrie, R. K., 757.

Hnilica, L. See Holoubek, V., 1478.

Hobkirk, R. See Bugge, S., 1501.

Hochachka, P. W. Glucose and acetate metabolism in fish, 1937.

Hochachka, P. W. Glucose and acetate metabolism in fish, 1937.

Hochachka, P. W. Glucose and Crocker, B. F. A study of the permeability barrier to

A-calactosides in Escherickia cali R. 45. β-galactosides in Escherichia coli B, 45.

Holoubek, V. and Hnilica, L. The failure to produce somatic and immunological changes in inbred AKR mice by specific deoxyribonucleic acid, 1478.

Hopkins, C. Y. and Chisholm, M. J. Development of oil in the seed of Asclepias syriaca L.,

829.

Development of oil in the seed of *Helianthus annus* L., 1481. **Hummel, B. C. W.** The activation and inhibition of trypsin by quaternary ammonium

compounds, 1193.

Ibrahim, R. K. See Bohm, B. A., 1389.

Ibrahim, R. K., Lawson, S. G., and Towers, G. H. N. Formation of labeled sugars from L-tyrosine-C¹⁴ in some higher plants, 873.

Letyrosine-C¹⁴ in some higher plants, 873. Idler, D. R. See Chang, V. M., 1277; Fagerlund, U. H. M., 505, 1347; Grajcer, D. 1585;

Tsuyuki, H., 1037

Idler, D. R., Bitners, I. I., and Schmidt, P. J. 11-Ketotestosterone: An androgen for sockeye salmon, 1737.

Idler, D. R., McBride, J. R., Jonas, R. E. E., and Tomlinson, N. Olfactory perception in migrating salmon. II. Laboratory bio-assay for homestream water and mammalian repel-

lent, 1575.

Idler, D. R., Schmidt, P. J., and Biely, J. The androgenic activity of 11-ketotestosterone:
A steroid in salmon plasma, 317.

Idler, D. R., Schmidt, P. J., and Bitners, I. Isolation and identification of adrenosterone in salmon (Oncorhynchus nerka) plasma, 1653.

Inch, W. R. and McCredie, J. A. A closed circuit technique for obtaining gas samples from a sealed chamber, 1927

Jackson, S. H., Farmer, A. W., Slater, R. J., and DeWolfe, M. S. The resolution of urinary or serum proteins by chromatography on DEAE cellulose columns with particular reference

to urinary proteins by chromatography on DEAE cellulose columns with particular reference to urinary proteins after thermal burns, 881.

Jaques, L. B. Heparin and the mast cell, 643.

Jarvis, A. A. See Brown, J. R., 1309.

Jasmin, G. See Bois, P., 335.

Jegier, W., Sekelj, P., Davenport, H. T., and McGregor, M. Cardiac output and related hemodynamic data in normal children and adults, 1747. Jessup, D. C., Carroll, K. K., and Noble, R. L. Recovery of vasopressin from urine and

blood by phenol extraction, 1647.

Jessup, D. C. and Wiberg, G. S. Effects of incubation conditions on the in vitro assay method for insulin, 1381.

Johnson, G. E. and Sellers, E. A. The effect of reserpine on the metabolic rate of rats, 279.

Jonas, R. E. E. See Idler, D. R., 1575. Kalant, H. See Czaja, C., 327.

Kalant, N., Schucher, R., and Galley, W. C. Effect of antibodies on removal of insulin from the circulation, 1433.

 Kalow, W. See Ecobichon, D. J., 1329.
 Kohout, J., Korbová, L., and Skořepa, J. With the technical assistance of Procházková, M. and Slaisová, X. The participation of the liver in the formation of postheparin esterases, 1467

Korbová, L. See Kohout, J., Kral, V. A. See Grad, B., 461.

Lamberg, S. L. See Beyer, R. E., 73.

Lane, B. G. See Moscarello, M. A., 1755.

Lane, B. G. and Allen, F. W. The isolation of dinucleotides from alkali hydrolyzates of ribonucleates, 721.

Lanthier, A. See Sandor, T., 973.

Lawson, S. G. See Ibrahim, R. K., 873.

Lazdunski, M. and Ouellet, L. Préparation d'une phosphatase alcaline intestinale purifiée, 1933.

LeBlanc, J. A. and Nadeau, G. Urinary excretion of adrenaline and noradrenaline in normal and cold-adapted animal, 215.

Leegwater, N. See Woodford, V. R., 287.
Leegwater, D. C., Craig, B. M., and Spencer, J. F. T. On the synthesis in vivo of long-chain unsaturated fatty acids, 1325. Ledingham, G. A. See Reisener, H., 1559.

Lesley, S. M. A method for the preservation of Leuconostoc mesenteroides, 1654.
Leznoff, A. See Goodfriend, L., 967.
Liebman, J. See Zsotér, T., 763.
Lindsay, W. K. See Walker, F. G., 89.
Lisk, R. D. Estradiol-17β in the eggs of the American lobster, Homarus americanus, 659 Little, P. E. See Coleman, I. W., 351.

Lucas, C. C. See Gillespie, R. J. G., 237, 243, 249; Menon, K. K. G., 683, 1373.

Lucis, O. J., Dyrenfurth, I., and Venning, E. H. Effect of various preparations of pituitary and diencephalon on the in vitro secretion of aldosterone and corticosterone by the rat adrenal gland, 901.

McBride, J. R. See Idler, D. R., 1575. McClain, F. See Monkhouse, F. C., 1027. McConnell, W. B. See Reisener, H., 1559.

McConnell, W. B. and Finlayson, A. J. Studies on wheat plants using carbon-14 compounds. XV. Utilization of serine-1-C¹⁴ and serine-3-C¹⁴, 1107.

AV. Utilization of serine-1-C" and serine-3-C", 1107.

McCredie, J. A. See Inch, W. R., 1927.

McCully, K. A. See Common, R. H., 1441.

McCully, K. A. and Common, R. H. Zone electrophoresis of protein-bound phosphorus of fowl's serum, 1451.

McGeer, E. G. See McGeer, P. L., 591.

McGeer, E. G., Robertson, M. C., and McGeer, P. L. Chromatographic characteristics of some standard acomatic compounds, 605.

some standard aromatic compounds, 605.

McGeer, P. L. See McGeer, E. G., 605.

McGeer, P. L., McGeer, E. G., and Griffin, M. C. Excretion of 4-amino-5-imidazole-carboxamide in human urine, 591.

McGregor, M. See Jegier, W., 1747. MacIntosh, F. C. See Birks, R., 787. McKay, D. H. See Stewart, W. C., 1001.

McLaughlan, J. M. See Middleton, E. J., 837; Morrison, A. B., 511, 1675, 1681.

McLaughlan, J. M., Noel, F., Morrison, A. B., and Campbell, J. A. Blood amino acid studies. I. A micromethod for the estimation of free lysine, methionine, and threonine, 1669

McNeill, K. G. See Green, R. M., 1021; Robinson, G. A., 1125.

MacPherson, C. F. C. and Cosgrove, J. B. R. Immunological evidence for a gamma globulin peculiar to cerebrospinal fluid, 1567.

Majchrowicz, E. and Quastel, J. H. Effects of aliphatic alcohols and fatty acids on the metabolism of acetate by rat liver slices, 1895.

Martin, A. R. and Orkand, R. K. Postsynaptic effects of HC-3 at the neuromuscular junction of the frog, 343

Martin, G. B. and Tarr, H. L. A. Phosphoglucomutase, phosphoribomutase, and phosphoglucoisomerase of lingcod muscle, 297.

Martin, S. M. See Colvin, J. R., 493.

Martin, W. G. Molecular weight of bovine plasma albumin, vitellenin, and their oxidation products in formic acid, 1405.

See also Mok, C.-C., 109.

Masironi, R. and Depocas, F. Effect of cold exposure on respiratory C¹⁴O₂ production during infusion of albumin-bound palmitate-1-C¹⁴ in white rats, 219.

Matheson, A. T. See Wade, E. H. M., 141.

Matheson, A. T., Tigane, E., and Hanes, C. S. Quantitative chromatographic methods.

Part 5. An improved ninhydrin-hydrindantin reagent, 417.

Menon, K. K. G. and Lucas, C. C. Effects of dietary methionine and vitamin B12 on the net synthesis of choline in rats, 683.

Menon, K. K. G., Lucas, C. C., and Casselman, W. G. B. The estimation of fibrous connective tissue in liver by a chemical method, 1373.

Mertz, E. T. See Cole, E. R., 1419, 1911.

Metcalfe-Gibson, A. See Bugge, S., 1501.

Middleton, E. J. See Morrison, A. B., 1543, 1675.

Middleton, E. J. and McLaughlan, J. M. The The effect of certain sulphonylurea drugs on pantothenic acid metabolism in the rat, 837.

Migicovsky, B. B. In vivo inhibition of cholesterol biosynthesis by a mitochondrial extract,

Mok, C.-C., Martin, W. G., and Common, R. H. A comparison of phosvitins prepared from hen's serum and from hen's egg yolk, 109.

Moloney, P. J. See Wardlaw, A. C., 695.

Monkhouse, F. C., Strachan, J., and McClain, F. Studies on clearing factor lipase (CFL)

of postheparin plasma, 1027.

Moo-Young, A. J. See Common, R. H., 1441.

Morgan, J. F. See Morton, H. J., 925; Tolnai, S., 713.

Morgen, R. O. See Blair, A. J., 1617.

Morley, N. H. and Toth, A. Oxidized pyridine nucleotides and lactic acid in the corneal tissue of rabbits, 477

Morrison, A. B. See McLaughlan, J. M., 1669.

Morrison, A. B. and McLaughlan, J. M. Variability in nutritional value of fish flour, 511 Morrison, A. B., McLaughlan, J. M., Noel, F. J., and Campbell, J. A. Blood amino acid studies. III. Effects of amount and quality of dietary protein and length of test period on plasma free lysine levels in the rat, 1681.

Morrison, A. B., Middleton, E. J., and McLaughlan, J. M. Blood amino acid studies.
II. Effects of dietary lysine concentration, sex, and growth rate on plasma free lysine and

threonine levels in the rat, 1675.

Morrison, A. B., Middleton, E. J., and Campbell, J. A. The utilization of riboflavin given periodically to the rat apart from the diet, 1543.

Morton, H. J. and Morgan, J. F. Further studies on the dual requirement for phenylalanine and tyrosine in tissue culture, 925.

Moscarello, M. A. See Hanes, C. S., 163.

Moscarello, M. A., Lane, B. G., and Hanes, C. S. Quantitative chromatographic methods. Part 8. Chromatographic systems of high resolving power nucleotides, 1755.

Muhlstock, B. See Saffran, M., 653.

Murray, T. K. Effect of protein-free diet on the vitamin A storage and depletion in the rat, 1099. Murray, T. K. and Campbell, J. A. Estimation of the biological potency of various forms of

vitamin A, 1687 Murray, T. K. and Grice, H. C. Absorption of vitamin A after thoracic duct ligation in the rat, 1103.

Myers, D. K. With the technical assistance of De Wolfe, D. E. Stability of deoxycytidylate deaminase in vitro, 1656.

Myers, D. K., Hemphill, C. A., and Townsend, C. M. Deoxycytidylate deaminase levels in regenerating rat liver, 1043.

Nace, P. F. See Yip, C. C., 1837.

Nadeau, G. See LeBlanc, J. A., 215.

Neelin, J. M. and Butler, G. C. A comparison of histones from chicken tissues by zone electrophoresis in starch gel, 485.

Neelin, J. M. and Cook, W. H. Terminal amino acids of egg yolk lipoproteins, 1075.

Neish, A. C. Configuration of β-phenyllactic acid (2-hydroxy-3-phenyl-propionic acid), 1205.

See also Gamborg, O. L., 1113.

Neyman, M. See Beyer, R. E., 73.

Nickerson, M. See Parmar, S., 1335.

Nigam, V. N. and Giri, K. V. Sugar in pulses, 1847.

Nigam, V. N., Sie, H.-G., and Fishman, W. H. Distribution in nature of heptulosephosphate-forming systems, 1367. Nilsen, M. See Bugge, S., 1501.

Noble, R. L. See Jessup, D. C., 1647. Noel, F. See McLaughlan, J. M., 1669; Morrison, A. B., 1681.

Noel, F. See McLaughlan, J. M., 1669; Morrison, A. B., 1681.
Orkand, R. K. See Martin, A. R., 343.
Orme, T. See Beaton, J. R., 663, 1267, 1649.
Ouellet, L. See Lazdunski, M., 1933.
Ozaki, K. and Wetter, L. R. Some enzymic properties of a partially purified aminoacylase obtained from a Polish variety of rapeseed (Brassica campestris L.), 843.
Pace, D. M., Thompson, J. R., Aftonomos, B. Th., and Holck, H. G. O. The effects of NO₂ and salts of NO₂ upon established cell lines, 1247.
Parmar, S. S., Sutter, M. C., and Nickerson, M. Localization and characterization of cholinesterase in subcellular fractions of rat brain and beef pituitary, 1335.
Parsons, T. R. and Denstedt, O. F. Biochemical response of the peritoneal mucosa to the irritant action of finely divided silica and other dusts. 1515.

irritant action of finely divided silica and other dusts, 1515.

Pasieka, A. E. A versatile high-voltage paper electrophoresis apparatus and its application to complex biological materials, 1313.

Pearce, J. W. See Smith, R. S., 933.

Pearce, R. H. See Foster, T. S., 1771.

Perkins, H. J. and Tyrrell, C. An improved two-dimensional scanner for radiochromatograms,

Perry, W. F. and Bowen, H. F. The in vitro utilization and production of non-esterified fatty acids by adrenalectomized rats, 1061.

Phillips, W. E. J. Vitamin A deficiency and isoprenoid metabolism, 855.

Nutritional factors and the biosynthesis of ubiquinone. The effect of yeast lipids on the hepatic ubiquinone of normal and vitamin A deficient rats, 1223.

Pouliot, G. See Bouthillier, L. P., 1595.

Pritchard, E. T. and Singh, H. Lipid peroxidation in developing rat brain, 1231.

Procházková, M. See Kohout, J., 1466.

Purdie-Pepper, E. See Bather, R., 1625.

Quastel, J. H. See Majchrowicz, E., 1895; Vardanis, A., 1811.

Rappaport, A. M. See Hetenyi, G., Jr., 225.
Rengei, B. See Fazekas, I. Gy., 1189.
Reisener, H., McConnell, W. B., and Ledingham, G. A. Studies on the metabolism of valerate-1-C¹⁴ by uredospores of wheat stem rust, 1559.

Riley, J. F. Tissue mast cells: distribution and significance, 633.

Roberts, D. W. A. Hydrolysis of some deoxyribonucleosides by wheat leaf juice, 1333.

Robertson, M. C. See McGeer, E. G., 605.

Robinson, G. A. See Green, R. M., 1021.

Robinson, G. A., McNeill, K. G., Green, R. M., and Rowsell, H. C. The biological half-life of K42 in the cow and the obese pig, 1125.

Rona, G. See Chappel, C. I., 453.

Rowsell, H. C. See Robinson, G. A., 11 Rubinstein, D. See Blostein, R., 1879.

Saffran, M., Muhlstock, B., and Caplan, B. U. Concentration of corticotrophin by percolation, 653.
 Sandor, T. and Lanthier, A. Identification of a steroid glycol produced by human ovarian

slices from 17α -hydroxyprogesterone, 973.

Sauer, F. Acetate metabolism in experimental ketosis of guinea pigs, 739.

Acetoacetate and β-hydroxy-β-methyl glutaryl coenzyme A metabolism in normal and ketotic guinea pigs, 1635.

Schmidt, P. J. See Idler, D. R., 317, 1653, 1737.

Schindler, W. J. and Fortier, C. Automatic scanning of paper strip chromatograms of

I¹³¹-labeled compounds, 629. Scholefield, P. G. Competition between amino acids for transport into Ehrlich ascites

carcinoma cells, 1717.

See also Abadom, P. N., 551.

Schucher, R. See Kalant, N., 1433.

Seguin, J. J., Fretz, N. A. and Stavraky, G. W. Effects of environmental temperature on pentylenetetrazol convulsions in corpus callotomized white rats, 1239.

pentylenetetrazol convulsions in corpus callotomized white rats, 1239.

Sehon, A. H. See Froese, A., 1067; Goodfriend, L., 941, 961, 967.

Sekelj, P. See Jegier, W., 1747.

Sellers, E. A. See Johnson, G. E., 279.

Selye, H., Bajusz, E., and Strebel, R. Cross-resistance to cardiotoxic agents, 519.

Shaw, D. M. See Yip, C. C., 1837.

Shaw, R. W. See Connell, G. E., 1013.

Sheinin, R. See Holmes, R., 45.

Sheinin, R. and Crocker, B. F. The α-galactosidase activity of Escherichia coli B, 55.

The induced concurrent formation of α-galactosidase and β-galactosidase in Escherichia coli B, 63. coli B, 63.

Sie, H.-G. See Nigam, V. N., 1367. Simpson, F. J. See Finlayson, A. J., 1107.

Singh, H. See Pritchard, E. T., 1231.

Singh, H. See Pritchard, E. T., 1231.
Skořepa, J. See Kohout, J., 1467.
Slaisová, X. See Kohout, J., 1467.
Slater, R. J. See Jackson, S. H., 881.
Small, D. L. See Vittorio, P. V., 1743.
Smith, D. M. See Beare, J. L., 195.
Smith, J. E. and Waygood, E. R. Resolution of the apoenzyme and coenzyme of L-glutamic acid decarboxylase from sunflower cotyledons, 1055. Smith, R. S. and Pearce, J. W. Microelectrode recordings from the region of the nucleus

solitarius in the cat, 933.

Sodhi, H. S. Inability of heterologous antibodies to affect rat thyroid gland, 691.

Spencer, E. Y. The dissimilar selective toxicity of two vinyl phosphorothionate isomers (thionoPhosdrin), 1790.

Spencer, J. F. T. See Leegwater, D. C., 1325.
Stavraky, G. W. See Seguin, J. J., 1239.
Stewart, A. G. See Birkbeck, J. A., 257.
Stewart, H. B. Glycolysing properties of a stable yeast extract, 1153.

Stewart, H. B. and Strickland, K. P. The preparation of labelled L-α-glycerophosphate using a stable yeast extract, 1133.

The preparation of P⁸²-labelled adenine nucleotides using a stable yeast extract, 1141.

Stewart, W. C. and McKay, D. H. Some respiratory and cardiovascular effects of gradual sarin poisoning in the rat, 1001. Stinson, R. H. Electrical stimulation of the sympathetic nerves of the isolated rabbit ear and

the fate of the neurohormone released, 309.

Strachan, J. See Monkhouse, F. C., 1027.

Strebel, R. See Selye, H., 519.

Strickland, K. P. See Stewart, H. B., 1133, 1141.

Sutter, M. C. and Dresel, P. E. Mechanism of selective blockade of cyclopropane-adrenaline cardiac arrhythmias by dichloroisoproterenol, 1783.

Sutter, M. C. See Parmar, S., 1335.

Sybulski, S. and Venning, E. H. The possibility of corticosteroid production by human and rat placental tissue under in vitro conditions, 203.

rat placental tissue under in vitro conditions, 203.

Symposium on mast cells, 633.

Tarr, H. L. A. See Martin, G.-B., 297.

Tattrie, N. H. See Bennett, J. R., 1357.

Thompson, J. R. See Pace, D. M., 1247.

Tiefenbach, B. See Brown, J. R., 1309.

Tigane, E. See Hanes, C. S., 163; Harris, C. K., 439; Matheson, A. T., 417.

Tigane, E., Wade, E. H. M., Wong, J. T.-F., and Hanes, C. S. Quantitative chromatographic methods. Part 6. Improved procedure for determination of amino compounds on paper chromatograms. 427. paper chromatograms, 427. **Tolnai, S.** and **Morgan, J. F.** Studies on the in vitro antitumor activity of fatty acids. III.

Tolnai, S. and Morgan, J. F. Studies on the in vitro antitumor activity of fatty acids. III. Saturated monocarboxylic acids, 713.
Tomlinson, N. See Idler, D. R., 1575.
Topliff, J. See Wood, J. D., 1705.
Toth, A. See Morley, N. H., 477.
Townsend, G. H. N. See Avadhani, P. N., 1605; Bohm, B. A., 1389; Ibrahim, R. K., 873.
Townsend, C. M. See Myers, D. K., 1043.
Townsend, G. F., Brown, W. H., Felauer, E. E.; and Hazlett, B. Studies on the in vitro antitumor activity of fatty acids. IV. The esters of acids closely related to 10-hydroxy-2-decenoic acid from royal ielly against transplantable mouse leukemia. 1765. 2-decenoic acid from royal jelly against transplantable mouse leukemia, 1765.

Troelsen, J. E. Determination of soluble carbohydrates from the absorbances of sulphonated

1-naphthol derivatives of hexoses and pentoses, 1397.

Tyrrell, C. See Perkins, H. J., 1183.

Tsuyuki, H. and Idler, D. R. The metabolism of inositol in salmon. III. The biochemical reactions of 2-C¹⁴-myoinositol in coho liver, 1037.

Vardanis, A. and Hochster, R. M. Adenine nucleotide breakdown and its relationship to polynucleotide phosphorylase in the crown-gall tumor inducing organism Agrobacterium tumefaciens, 773

On the mechanism of glucose metabolism in the plant tumor-inducing organism Agrobacterium tumefaciens, 1165.

On the nucleotide specificity of the polynucleotide phosphorylase of the crown-gall tumor-inducing organism Agrobacterium tumefaciens, 1695. Vardanis, A. and Quastel, J. H. The effects of lead and tin organometallic compounds on

the metabolism of rat brain cortex slices, 1811.

Venning, E. H. See Lucis, O. J., 901; Sybulski, S., 203.
Vittorio, P. V., Small, D. L., and Allen, M. J. The effect of serotonin (5-hydroxytryptamine)
on the oxidation of C¹⁴ glucose to C¹⁴O₂ by mouse liver, spleen, and kidney slices, 1743.

Wade, E. H. M. See Tigane, E., 427.
Wade, E. H. M., Matheson, A. T., and Hanes, C. S. Quantitative chromatographic methods. Part 3. Factors controlling the patterns of separation on the amino acids on paper chromatograms, 141.

Walker, F. G., Bensley, S. H., and Lindsay, W. K. The effects of an antihistamine (pro-

methazine) on the reaction of tendons to trauma—A histological study, 89.

Walker, I. G. With the technical assistance of Watson, W. J. The involvement of carbon

dioxide in the toxicity of oxygen at high pressure, 1803.

Walker, I. G. and Watson, W. J. The reaction of mustard gas with the purine portion of deoxyribonucleic acid, 365. The reaction of mustard gas $(\beta, \beta'$ -dichloroethyl sulphide) with purines and pyrimi-

dines, 377. The reaction of mustard gas with deoxyribonucleic acid with special reference to the

pyrimidines, 1493.

Wardlaw, A. C. and Moloney, P. J. The assay of insulin with anti-insulin and mouse diaphragm, 695. Watson, W. J. See Walker, I. G., 365, 377, 1493, 1803.

Waygood, E. R. See Smith, J. E., 1055.
Weld, C. B. The enterolipomicron, a secretion?, 15.
Wetter, L. R. See Gamborg, O. L., 1113; Ozaki, K., 843.
Wiberg, G. S. See Jessup, D. C., 1381.
de Wied, D. See Bakker, R. F. M., 23.

Wilhelmi, A. E. Fractionation of human pituitary glands, 1659.
Williams, G. R. The succinic oxidase activity of rat liver mitochondria, 103.
Wong, J. T.-F. See Tigane, E., 427.
Wood, D. D. See Hanes, C. S., 163.
Wood, J. D., Bielly, J., and Topliff, J. The effect of diet, age, and sex on cholesterol metabolism in white leghorn chickens, 1705.
Woodford, V. R., Leegwater, N., and Drance, S. M. A comparative study of some carbonic anhydrase inhibitors, 287.
Wrenshall, G. A. See Hetenyi, G., Jr., 225.
Wrenshall, G. A., Hetenyi, G., Jr., and Best, C. H. The validity of rates of glucose appearance in the dog calculated by the method of successive tracer injections. II. The influence of intermixing time following tracer injection, 267.

wright, D. See Héroux, O., 1829, 1865, 1871.

Yip, C. C., Shaw, D. M., and Nace, P. F. Trace elements in transplanted tumors, 1837.

Zitnak, A. The occurrence and distribution of free alkaloid solanidine in netted Gem potatoes, 1257.

Zsotér, T. With the technical assistance of Liebman, J. and Charbonneau, G. The effect of intravascular pressure changes on blood flow, 763.

